

The Best Selection, Product Knowledge and Customer Service

NOVEMBER 2024

We Have The HEATS !



Equipment • Controls • Parts • Pieces • Chemicals • Expertise

TRAINING Check out our variety of training classes!



TRAINING INFORMATION AND REGISTRATION AT WINSTELCONTROLS.COM

AKRON 1055 Grant St Akron, OH 44311 (330) 773-6141	CANTON 810 Marion Motley Ave NE Canton, OH 44705 (330) 452-9791	CINCINNATI 2822 Spring Grove Ave Cincinnati, OH 45225 (513) 541-2142	CLEVELAND 3905 West 150th St Cleveland, OH 44111 (216) 252-3055	HAMILTON 208 North B Street Hamilton, OH 45013 (513) 863-8600	INDIANAPOLIS 5644 S Meridian St, #E Indianapolis, IN 46217 (317) 886-9071	NEW PHILADELPHIA 423 4th Street NE New Phila., OH 44663 (330) 343-6669	TRI-COUNTY 10126 Transportation Way Cincinnati, OH 45246 (513) 251-4343
--	---	--	---	---	---	--	---



Elevate Your Comfort With Intelligent Climate Control




Transform your air conditioner into a smart powerhouse. Take charge of your cooling or heating from anywhere using your phone for effortless control & enhanced comfort.



CIEBM102WA

Cielo Breez Max

IN STOCK **117¹⁴**



Smart Heat Management with your Furnace + Central Heat Pump, Mini-Split, or Multiple Systems

Optimizing energy efficiency through intelligent switching between furnace/boiler and a heat pump or mini-split to minimize reliance on fossil fuel-based heating systems.

Gas Regulators Built-to-Order

Gas Regulators are assembled in-house at **Winstel Controls** to make sure we always have exactly what you need, when you need it. Same day delivery is available.



NGR04 Shown

Gas Regulators with Vent Limit Option



NORN5B-0750-S Shown

The NMT N5 Series gas regulator is a Certified CSA 6.22/ANSI Z21.80 self-operating regulator with vent limiting option for use in residential, commercial and industrial applications.

NGRB Series Pressure Reducing Regulator

The **NGRB** Series regulators are single stage, self-operated regulators for heavy duty work under high, medium, and low-pressure gas applications, for all types of non-corrosive gases.

- Internal Token Relief
- High Capacity at Low Inlet Pressures
- Outlet Pressures up to 21.4 psig
- Field Interchangeable Springs
- Corrosion Resistant Exterior
- Internal Balanced Valve Allowing Low Lockup with High Inlet Pressures
- Designed for Easy Maintenance



NGRB3 Shown

OUR ANNUAL BOILER PROMOTION

BUY BOILERS

Exclusively from



Rewards Summary

WMC BOILER PROMO	
Points Available:	12
Points Redeemed:	0
Points Accrued:	12

CHECK YOUR POINT PROGRESS ONLINE

ADD POINTS

FOR EVERY **\$1,000** SPENT ON A CAST IRON BOILER GET **1 POINT**

FOR EVERY **\$1,000** SPENT ON A HIGH EFFICIENCY BOILER GET **2 POINTS**

Points are added automatically for each purchase.

GET REWARDS

		Take a Winstel Controls credit of \$75
		Take a Winstel Controls credit of \$225
		Take a Winstel Controls credit of \$500
		Take a Winstel Controls credit of \$1200



Scan QR code at left to see the rewards, the 4 reward levels, rules, regulations, restrictions, and list of eligible boilers from Weil-McLain.

Orders must be placed between September 1, 2024, and December 31, 2024.

Universal Integrated Furnace Control



Lennox, Goodman, Trane, Rheem, Nordyne, York, ICP; the list goes on and on for compatible single-stage furnace replacement brands.

164²⁹

MHS9200U1000

Universal Intermittent Pilot Control

Provides the ignition sequence, flame monitoring and 100 percent safety shutoff for intermittent pilot central furnaces and other heating appliances.



139¹⁹

MHS8610U3009

Universal Gas Valve

This valve works with virtually all residential and light commercial equipment, has a wide capacity of 30k to 415k and functions with multiple ignition types.



165⁰⁰

MHVR8345M4302

UNIVERSAL HEATING PARTS



Universal Hot Surface Igniter Glowfly® Pro



Compatible with a wide range of brands and the oldest of furnaces. Easy to maneuver in tight spaces, the Glowfly® makes installation a smooth process.

42⁵⁰

MHQ3205U1107

Universal Electronic Oil Primary



A digital, universal primary control, made to address most common industry needs. Parameters are user-defined providing actionable diagnostics.

98³⁶

MHR7284U1004

Universal Electronic Fan Timer

Monitors the thermostat for heat, cool and fan demands, runs the induced draft blower motor and runs the circulating fan (up to two speeds).



180⁰⁰

MHST9120U1011

RESIDENTIAL GAS FURNACES

80%-97% AFUE;
ECM Motors

Comfort-Aire®



HCGUH96

80%-97% AFUE;
ECM Motors

HCGUH97

MAKE THE COMFORT-AIRE® DECISION YOU WON'T REGRET.

When you think about everything Comfort-Aire® delivers, your decision is easy. With Comfort-Aire®, all your heating and cooling questions are answered. The performance and reliability you want are right here, and ready to go to work.

Come Home to Comfort. Come Home to Comfort-Aire®



Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.

Oil Furnaces

built by *Thermopride*

Spirit Series™
Thermo Products, LLC

**Versatility and Reliability
in all Three Series**

VHF Series - Low-Profile Highboy

VL Series - Lowboy

VC Series - Horizontal / Counterflow



TPVHF-ABP
Shown

- Beckett AFG or Carlin EZ-1HP (VHF, VLR) Burners
- Heavy Duty Heat Exchanger with Fiber Chamber
- Dual Cleanout Ports
- Heavy Duty 22-Gauge Cabinet with Powder Coated Finish for Long Lasting Durability
- Entire Blower Assembly can be removed for Cleaning
- PSC or ECM Constant Torque Blower Motor Options



IN STOCK



BOSCH

Invented for life

Bosch Gas Furnace

BGH96 Series | 96% AFUE



20 Year
Heat Exchanger
Warranty



- Up to 96% AFUE heating efficiency, ENERGY STAR rated
- Reliable, proven two-stage design
- 3-way multipoise design allows for upflow (right or left return) and horizontal orientations
- Field convertible to LP (kit included)
- 2 stage x13 ECM motors for quiet and efficient operation
- Hot-surface ignition for dependable operation
- Durable aluminized steel tubular heat exchanger and stainless-steel secondary heat exchanger

Bosch BGH96 Furnace

The Bosch BGH96 gas furnace delivers 96% efficiency while providing the comfort homeowners need. This ENERGY STAR rated furnace offers a two-stage gas valve and a multi-speed blower, providing superior efficiency and savings.



BOSCH
Invented for life

Bosch Inverter Ducted Split Systems Family

Bosch Has Developed and Built The Perfect Home HVAC System

Bosch IDS systems utilize just the right amount of energy to achieve ultimate comfort year after year, all while keeping sound levels to a minimum. Choose the Bosch IDS system that is right for you and enjoy our peace of mind 10 year Bosch warranty!*

IDS PORTFOLIO PAIRING		OUTDOOR UNIT		
		IDS LIGHT (BOVA15)	IDS PLUS (BOVB18)	PREMIUM / PREMIUM CONNECTED (BOV*20)
Indoor unit	BVA15	✓	✓	-
	BVA20	✓	✓	✓
	Cased Coil Only	-	✓	✓
	BGH96 + Cased Coil	✓	✓	✓

Choose the System That's Right For You

These high-efficiency, robust and quiet Inverter Ducted Split system heat pumps are available in four sizes ranging from 2 to 5 ton capacity to suit your needs. This system boasts a inverter drive which adjusts the speed of the compressor to optimize comfort, while keeping sound levels to a minimum and utilizing the right amount of energy to achieve maximum comfort.

15 SEER System
IDS Light



BOVB18

BVA15

18 SEER System
IDS Plus



BOVB18

BVA20

20 SEER System
IDS Premium



BOVA20

BVA20

20 SEER System
IDS Premium
Connected (150)



BOVB20

BVA20

*Go to bosch-homecomfort.us for full limited warranty details

OEM DIRECT REPLACEMENT DRAFT INDUCERS

Trane Replacement

Packard

- 1/30 HP
- 120 Volts
- 1.3 AMPS
- 3100 RPM



128³⁴

PAC66787

ICP Replacement

Packard

- 1/20 HP
- 115 Volts
- 2.4 AMPS
- 3000 RPM



204⁶⁶

PAC66338

ICP Replacement

Packard

- 1/25 HP
- 115 Volts
- 0.92 AMPS
- 3350 RPM
- Includes Capacitor



247²¹

PAC66350

Carrier Replacement

Packard

- 28 Watts
- 208-230 Volts
- 0.8 AMPS
- 3000 RPM



210⁰³

PAC65230

Rheem Replacement

Packard

- 1/30 HP
- 120 Volts
- 1.7 AMPS
- 3000 RPM



77⁶⁸

PAC66847

Special Pricing

Goodman Replacement

Packard

- 1/50 HP
- 115 Volts
- 2.8 AMPS
- 3000 RPM



131⁹⁴

PAC66071

HIGH-EFFICIENCY CONDENSING BOILER

Water | Natural or Propane Gas | 110-399 MBH | 5 Sizes
Direct Exhaust or Direct Vent | Up to 95.1% AFUE*

EASY HEAT, EFFORTLESS COMFORT

EVERGREEN® Pro

Commercial-Grade Controls for Residential and Light-Commercial Applications

- Fire tube stainless steel heat exchanger
- Integrated precision control
- Advanced multi-zone capacity
- ENERGY STAR Most Efficient 95% AFUE* rating
- Set-up wizard for easy install
- Floor standing and wall-hung capable

Model	CSA Input MBH	DOE Heating Capacity MBH	Net AHRI Ratings MBH	DOE Seasonal Efficiency AFUE %
EVG 110	110	101	88	95.0
EVG 155	155	143	124	95.1
EVG 220	220	206	179	95.0
EVG 299	299	280	243	95.0
EVG 399	399	383*	333	96.5*

*Evergreen Pro 399 ratings are gross output and combustion efficiency.



EVG

CAST IRON GAS BOILER

Water | Natural or Propane Gas | 48-222 MBH | 7 sizes
Series 4 | Induced Draft | 84% AFUE

HIGH-EFFICIENCY CAST IRON BOILER

CGi™

- Now with built-in low water cut off
- Ideal for residential and commercial installations
- Durable cast iron design for long service life
- Built by North America's leading boiler manufacturer

Model	CSA Input MBH	DOE Heating Capacity MBH	Net AHRI Ratings MBH	AFUE %
CGi-25	48	41	35	84.0
CGi-3	58	49	42	84.0
CGi-4	90	77	66	84.0
CGi-5	119	102	88	84.0
CGi-6	158	135	117	84.0
CGi-7	190	162	140	84.0
CGi-8	222	189	164	84.0



CGi

Inducer cover on sizes 25-6 only



WINSTEL CONTROLS BACKFLOW DIVISION

- Devices
- Assemblies
- Full Repair Kits
- Check Valves
- Rubbers & O-Rings
- Relief Valve Kits
- Accessories
- Valves

We now have a dedicated Backflow Division staffed with Experts to help with any of your backflow jobs.

- Pipe & Fittings
- Groove & Flanges
- Clamps & Support
- Tools
- Test Kits
- Hoses & Cases
- Calibrations
- Training Courses

(878) BACKFLO
222-5356



RP • RPDA • DC • DCDA • PVB • SVB

RADIANT TUBE HEATERS

ERXL (SINGLE STAGE) & ER2STG (TWO STAGE)



HEATSTAR

FEATURES:

- 10-Year warranty*
- Available in 10 to 60 foot system lengths
- Aluminized 16 gauge steel tubing
- Outside or inside air for combustion
- Sealed burner control box
- Full cover polished aluminum reflector
- Reflectors install horizontally or 45°
- Install as Straight or U-Tube Configuration
- 24 Volt or line voltage thermostat option



NG burners include LP conversion kit



* Warranty limited to 2 years in ammonia, chlorine, chemical exposure, and car wash installations.

AMERICA'S MOST COMPLETE LINE OF INFRARED HEATERS

YEAR-ROUND COMFORT TO WORK, PLAY AND RELAX

HOT DAWG

MODINE

GARAGE, WORKSPACE AND OUTBUILDING HEATERS



Model HD

Modine's Hot Dawg® is available in 6 model sizes, ranging from 30,000 to 125,000 BTU. All models can run on propane or natural gas.

HOT DAWG™ POWER-EXHAUSTED, GAS-FIRED UNIT HEATER (MODEL HD)

- Quiet operation allows your space to be warm without the distraction of a loud machine running in the background
- Low profile, lightweight design easily installs 1" from the ceiling
- Operates on natural or propane gas; field conversion kits are available
- Finger-proof fan guards on all units
- Permanently-lubricated motor for maintenance-free dependability
- 100% shut-off with continuous retry for safe ignition in the event the unit doesn't light on the first try
- Right or left-hand controls are available on 30-75 units by rotating the unit 180 degrees

Winstel Controls
10126 Transportation Way
Cincinnati, OH 45246

Presort Std.
U.S. Postage
PAID
Columbia Sta., OH
Permit No. 54



YOUR PARTS ARE JUST A CLICK AWAY
HUNDREDS OF THOUSANDS OF ITEMS AND
PARTS ONLINE AND RIGHT IN YOUR POCKET




Happy Thanksgiving

In this time of gratitude, we give thanks for you.

We value your patronage and appreciate your confidence in us.

Counting you among our customers is something for which we are especially grateful.

From our families to yours, have a safe and healthy Thanksgiving.



Prices good through December and are subject to change. We are committed to illustrate and describe products accurately. Such descriptions and illustrations are for the purpose of identification and do not imply that the products will conform to the descriptions or illustrations. Copyright ©2024 Winstel Controls Inc.