

The Best Selection, Product Knowledge and Customer Service

DECEMBER 2024



*Thanks to your continued patronage, our business has once again expanded.
 We sincerely appreciate the trust and confidence you have in us.
 May we take this occasion to thank you and wish you a great 2025.*

WATCH FOR THESE TRAINING CLASSES IN 2025

Honeywell *Comfort-Aire* **U-M** **WEIL-McLAIN** **BOSCH** **BELIMO**

TRAINING INFORMATION AND REGISTRATION AT WINSTELCONTROLS.COM

AKRON 1055 Grant St Akron, OH 44311 (330) 773-6141	CANTON 810 Marion Motley Ave NE Canton, OH 44705 (330) 452-9791	CINCINNATI 2822 Spring Grove Ave Cincinnati, OH 45225 (513) 541-2142	CLEVELAND 3905 West 150th St Cleveland, OH 44111 (216) 252-3055	HAMILTON 208 North B Street Hamilton, OH 45013 (513) 863-8600	INDIANAPOLIS 5644 S Meridian St, #E Indianapolis, IN 46217 (317) 886-9071	NEW PHILADELPHIA 423 4th Street NE New Phila., OH 44663 (330) 343-6669	TRI-COUNTY 10126 Transportation Way Cincinnati, OH 45246 (513) 251-4343
--	---	--	---	---	---	--	---

HIGH-EFFICIENCY CONDENSING BOILER

Water | Natural or Propane Gas | 110-399 MBH | 5 Sizes
Direct Exhaust or Direct Vent | Up to 95.1% AFUE*

EASY HEAT, EFFORTLESS COMFORT

EVERGREEN[®] Pro

Commercial-Grade Controls for Residential and Light-Commercial Applications

- Fire tube stainless steel heat exchanger
- ENERGY STAR Most Efficient 95% AFUE* rating
- Integrated precision control
- Set-up wizard for easy install
- Advanced multi-zone capacity
- Floor standing and wall-hung capable

Model	CSA Input MBH	DOE Heating Capacity MBH	Net AHRI Ratings MBH	DOE Seasonal Efficiency AFUE %
EVG 110	110	101	88	95.0
EVG 155	155	143	124	95.1
EVG 220	220	206	179	95.0
EVG 299	299	280	243	95.0
EVG 399	399	383*	333	96.5*



EVG

*Evergreen Pro 399 ratings are gross output and combustion efficiency.

CAST IRON GAS BOILER

Water | Natural or Propane Gas | 48-222 MBH | 7 sizes
Series 4 | Induced Draft | 84% AFUE



CGI

Inducer cover on sizes 25-6 only



HIGH-EFFICIENCY CAST IRON BOILER

CGi[™]

- Now with built-in low water cut off
- Ideal for residential and commercial installations
- Durable cast iron design for long service life
- Built by North America's leading boiler manufacturer

Model	CSA Input MBH	DOE Heating Capacity MBH	Net AHRI Ratings MBH	AFUE %
CGi-25	48	41	35	84.0
CGi-3	58	49	42	84.0
CGi-4	90	77	66	84.0
CGi-5	119	102	88	84.0
CGi-6	158	135	117	84.0
CGi-7	190	162	140	84.0
CGi-8	222	189	164	84.0

BOILER PROMOTION FINAL WEEKS

BUY BOILERS

Exclusively from



Rewards Summary

WMC BOILER PROMO	
Points Available:	12
Points Redeemed:	0
Points Accrued:	12

CHECK YOUR POINT PROGRESS ONLINE

ADD POINTS

FOR EVERY **\$1,000** SPENT ON A CAST IRON BOILER GET **1 POINT**

FOR EVERY **\$1,000** SPENT ON A HIGH EFFICIENCY BOILER GET **2 POINTS**

Points are added automatically for each purchase.

GET REWARDS

		Take a Winstel Controls credit of \$75
		Take a Winstel Controls credit of \$225
		Take a Winstel Controls credit of \$500
		Take a Winstel Controls credit of \$1200



Scan QR code at left to see the rewards, the 4 reward levels, rules, regulations, restrictions, and list of eligible boilers from Weil-McLain.

Orders must be placed between September 1, 2024, and December 31, 2024.

BOILER ACCESSORIES FROM McDONNELL & MILLER

Low Water Cut-off & Pump Controller



For commercial and industrial low or high pressure steam boilers. Maintains consistent water level regardless of pressure. Water column with integral tapings for gauge glass and tri-cock installations. No. 5 Switch included.



MM94

Low Water Cut-off & Pump Controller



For boilers of any steaming capacity in commercial and industrial low or high pressure boiler applications. Monel bellows provides corrosion resistance. Snap action switches for high temperature service.



MM150S

Mechanical Water Feeder/ Low Water Cut-off



For steam and hot water boilers with cold water feed. Continuous maintenance of water levels, independent of electrical service. Proportional feed action. Quick hook-up fittings provided.



MM47

Low Water Cutoff



MMRB-122E

- 120v Electronic
- For Hot Water Boilers
- For residential and commercial (where codes allow).

152⁹⁶

Blow Down Valve



MM14-B

Ball Type for 47, 247, 67, 70B Water Feeders

160⁰⁷

Flow Switch



Universal design means replacement for common flow switches from Johnson / Penn, Potter / Taco, Watts, Hydrolevel and other manufacturers.



MMFS4-3

188⁵³

RESIDENTIAL GAS FURNACES

80%-97% AFUE;
ECM Motors

Comfort-Aire®



HCGUH96

80%-97% AFUE;
ECM Motors

HCGUH97

MAKE THE COMFORT-AIRE® DECISION YOU WON'T REGRET.

When you think about everything Comfort-Aire® delivers, your decision is easy. With Comfort-Aire®, all your heating and cooling questions are answered. The performance and reliability you want are right here, and ready to go to work.

Come Home to Comfort. Come Home to Comfort-Aire®



Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.

Oil Furnaces

built by Thermopride

Spirit Series™
Diverse Products, LLC

**Versatility and Reliability
in all Three Series**

VHF Series - Low-Profile Highboy

VL Series - Lowboy

VC Series - Horizontal / Counterflow



TPVHF-ABP
Shown

- Beckett AFG or Carlin EZ-1HP (VHF, VLR) Burners
- Heavy Duty Heat Exchanger with Fiber Chamber
- Dual Cleanout Ports
- Heavy Duty 22-Gauge Cabinet with Powder Coated Finish for Long Lasting Durability
- Entire Blower Assembly can be removed for Cleaning
- PSC or ECM Constant Torque Blower Motor Options



IN STOCK



BOSCH

Invented for life

Bosch Gas Furnace

BGH96 Series | 96% AFUE



**20 Year
Heat Exchanger
Warranty**



- Up to 96% AFUE heating efficiency, ENERGY STAR rated
- Reliable, proven two-stage design
- 3-way multipoise design allows for upflow (right or left return) and horizontal orientations
- Field convertible to LP (kit included)
- 2 stage x13 ECM motors for quiet and efficient operation
- Hot-surface ignition for dependable operation
- Durable aluminized steel tubular heat exchanger and stainless-steel secondary heat exchanger

Bosch BGH96 Furnace

The Bosch BGH96 gas furnace delivers 96% efficiency while providing the comfort homeowners need. This ENERGY STAR rated furnace offers a two-stage gas valve and a multi-speed blower, providing superior efficiency and savings.



BOSCH
Invented for life

Bosch Inverter Ducted Split Systems Family

Bosch Has Developed and Built The Perfect Home HVAC System

Bosch IDS systems utilize just the right amount of energy to achieve ultimate comfort year after year, all while keeping sound levels to a minimum. Choose the Bosch IDS system that is right for you and enjoy our peace of mind 10 year Bosch warranty!*

IDS PORTFOLIO PAIRING		OUTDOOR UNIT		
		IDS LIGHT (BOVA15)	IDS PLUS (BOVB18)	PREMIUM / PREMIUM CONNECTED (BOV*20)
Indoor unit	BVA15	✓	✓	-
	BVA20	✓	✓	✓
	Cased Coil Only	-	✓	✓
	BGH96 + Cased Coil	✓	✓	✓

Choose the System That's Right For You

These high-efficiency, robust and quiet Inverter Ducted Split system heat pumps are available in four sizes ranging from 2 to 5 ton capacity to suit your needs. This system boasts a inverter drive which adjusts the speed of the compressor to optimize comfort, while keeping sound levels to a minimum and utilizing the right amount of energy to achieve maximum comfort.

15 SEER System
IDS Light



18 SEER System
IDS Plus



20 SEER System
IDS Premium



20 SEER System
IDS Premium Connected (EAC)



*Go to bosch-homecomfort.us for full limited warranty details

RADIANT TUBE HEATERS ERXL (SINGLE STAGE) & ER2STG (TWO STAGE)



HEATSTAR

FEATURES:

- 10-Year warranty*
- Available in 10 to 60 foot system lengths
- Aluminized 16 gauge steel tubing
- Outside or inside air for combustion
- Sealed burner control box
- Full cover polished aluminum reflector
- Reflectors install horizontally or 45°
- Install as Straight or U-Tube Configuration
- 24 Volt or line voltage thermostat option



NG burners include LP conversion kit

* Warranty limited to 2 years in ammonia, chlorine, chemical exposure, and car wash installations.



YEAR-ROUND COMFORT TO WORK, PLAY AND RELAX

HOT DAWG™

MODINE

GARAGE, WORKSPACE AND OUTBUILDING HEATERS



Model HD

Modine's Hot Dawg® is available in 6 model sizes, ranging from 30,000 to 125,000 BTU. All models can run on propane or natural gas.

HOT DAWG™ POWER-EXHAUSTED, GAS-FIRED UNIT HEATER (MODEL HD)

- Quiet operation allows your space to be warm without the distraction of a loud machine running in the background
- Low profile, lightweight design easily installs 1" from the ceiling
- Operates on natural or propane gas; field conversion kits are available
- Finger-proof fan guards on all units
- Permanently-lubricated motor for maintenance-free dependability
- 100% shut-off with continuous retry for safe ignition in the event the unit doesn't light on the first try
- Right or left-hand controls are available on 30-75 units by rotating the unit 180 degrees

AMERICA'S MOST COMPLETE LINE OF INFRARED HEATERS

INDOOR AIR QUALITY

AprilAire

Our duct-mounted large bypass evaporative humidifier is designed for tight homes under 5,000 square feet. The humidifier adds moisture to your home's dry air as it moves through our moisture-laden water panel to create Healthy Humidity throughout your home.

Humidifiers



17/GPD - AP600M

181⁹⁸

Media Air Cleaners



AP1210 Shown

This Aprilaire® media air cleaner can remove airborne contaminants such as smoke, dust, and mold in residential or light commercial forced-air heating and cooling systems. SelfSeal™ design reduces air bypass and improves performance.

102⁰⁵

Honeywell Home



Quality and efficiency, for less. The Resideo Whole-House Bypass Humidifiers deliver the same level of quality you've come to expect from Honeywell, but at a more competitive price. Fits existing humidifier space for quick and easy installation.



17/GPD - MHHE205A1000

IN STOCK



MHF100F 16x25, 20x25, 20x20, 16x20

Media Air Cleaners capture up to 96% of airborne particles passing through the HVAC system, and maintain high airflow in your heating and cooling system so that it functions at full efficiency. Get the benefits of a whole-house solution for improving the air in your home.

80⁰⁰

Circulating Pumps

1/12 HP Wet Rotor 3-Speed Circulator Pump; Cast Iron or Lead Free

Cast Iron



BG103417

Bronze Lead-Free



BG103418LF



SERIES 100

Three-piece, 1/12 HP, Oil Lubricated Iron Booster Pump.



BG106189

SERIES e-1510



BGE-1510

**CUSTOM-BUILT
ORDERS READY
IN AS LITTLE AS
2 DAYS**

Bell & Gossett e-1510 provides the highest overall efficiency in the end-suction market for HVAC and plumbing applications.

engineer
**PRODUCT
OF THE YEAR**

Geniune Series 100 Replacement Parts

Bearing Assembly



Replaces ALL Series 100 Bearing Assemblies.

BG118844LF

144³⁸

1/12 HP Replacement Motor



- 1725 RPM Single speed
- 1.75 F/L Amps

BG111034

446²⁵



N5 Series Gas Regulator

The **NMT N5 Series** gas regulator is a Certified CSA 6.22/ANSI Z21.80 self-operating regulator with vent limiting option for use in residential, commercial and industrial applications. The N5 vent limiting option allows for indoor use without the need to pipe external vent lines. With the added benefit of extended corrosion resistance, the N5 allows for various applications where the best regulation performance is required.



SPECIFICATIONS

Pipe Sizes	3/8" to 2" NPT
Gas Types	Natural gas, LPG, air, Other dry non corrosive gases.
Maximum Inlet Pressure	2 psig(meets CSA); 15 psig max.
W/Vent Limiter	2 psig(meets CSA); 10 psig max.
Materials	
Housing	Epoxy coated aluminum
Diaphragm	Reinforced Buna N
Valve seat	Buna N



- Certified CSA 6.22/ ANSI Z21.80
- Vent limiter option
- Multi-position installation
- Extended corrosion resistance
- Up to 15 psig operating pressure

UNIVERSAL REPLACEMENT PARTS

Spark Ignition Gas Valve

Honeywell



Universal Electronic Ignition Gas Valve

MHVR8345M4302

165⁰⁰

Hot Surface Ignitor Kit

Packard



Nitride Universal Igniter Kit for Silicon Carbide Igniters

PACIG1000N

25⁴³

Pilot Burner

Honeywell



Intermittent Pilot Burner with target style hood

MHQ345U1005

74⁹⁶

Relay

Packard



DPDT Replacement Relay 24 Volts

PACPR340

9¹²

Pilot Gas Valve

Honeywell



Standard Dual Standing Pilot Gas Valve 3/4" x 3/4"

MHVR8300A4508

172⁸¹

Transformers

Packard



Control Transformer Class II Foot Mount 24 Volts

PACPF42440

16³⁰

Winstel Controls
10126 Transportation Way
Cincinnati, OH 45246

Presort Std.
U.S. Postage
PAID
Columbia Sta., OH
Permit No. 54

EVERYTHING YOU NEED IS CLOSER THAN YOU THINK
USE OUR WEBSITE TO ACCESS HUNDREDS OF THOUSANDS OF ITEMS,
PARTS, AND PIECES FROM YOUR PHONE



WINSTEL CONTROLS BACKFLOW DIVISION

- Devices
- Assemblies
- Full Repair Kits
- Check Valves
- Rubbers & O-Rings
- Relief Valve Kits
- Accessories
- Valves

*We now have a dedicated
Backflow Division staffed
with Experts to help with
any of your backflow jobs.*

(878) BACKFLO
222-5356

- Pipe & Fittings
- Groove & Flanges
- Clamps & Support
- Tools
- Test Kits
- Hoses & Cases
- Calibrations
- Training Courses



RP • RPDA • DC • DCDA • PVB • SVB

Prices good through January 2025 and are subject to change. We are committed to illustrate and describe products accurately. Such descriptions and illustrations are for the purpose of identification and do not imply that the products will conform to the descriptions or illustrations. Copyright ©2024 Winstel Controls Inc.